Notice of Allowability	Application No.	Applicant(s)
	10/824,393	YAMAYA ET AL.
	Examiner	Art Unit
	Margaret G. Moore	1712
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to the amendment filed 12/7/06.		
2. The allowed claim(s) is/are <u>3</u> , <u>4</u> , <u>6</u> to <u>9</u> , <u>16</u> , <u>17</u> .		
3. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some* c) None of the:		
1. 🖸 Certified copies of the priority documents have been received.		
2. Certified copies of the priority documents have been received in Application No		
3. Copies of the certified copies of the priority documents have been received in this national stage application from the		
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) 🗌 including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) 🗌 hereto or 2) 🔲 to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted: Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s) 1. ☑ Notice of References Cited (PTO-892)	5 Nation of Informal C	Data - A A mallocation
 Notice of References Cited (PTO-992) Divide of Draftperson's Patent Drawing Review (PTO-948) 	5. Notice of Informal P	' '
_	6. ☐ Interview Summary Paper No./Mail Dat	te .
 Information Disclosure Statements (PTO/SB/08), Paper No./Mail Date 	7. Examiner's Amendr	nent/Comment
4. Examiner's Comment Regarding Requirement for Deposit of Biological Material	8. Examiner's Statement	ent of Reasons for Allowance
• • • • • • • • • • • • • • • • •	9.	
	•	

Art Unit: 1712

1. The following is an examiner's statement of reasons for allowance: In view of applicants' amendment, the instant claims are neither taught nor suggested by the prior art. The Examiner has included an English language translation of the JP document previous applied against the claims. Page 18 teaches the addition of metallic oxide sol and, since page 5 refers to metallic oxide sols as including SiO₂ among other oxides, one could argue that this reference suggests the addition of a silicon oxide sol. This reference does not, however, adequately suggest the addition of a hollow silica sol or a colloidal silica in the amounts as claimed, when the dispersing water has the particular pH. Thus, in summary, between the necessary selection of an amount of (i) as claimed, in combination with the necessary selection of a compound meeting (B) in an amount as claimed and in combination with the selection of one of the two particular types of fine particles in an amount as claimed, the totality of the instant claims simply is not suggested by this reference.

The Examiner called applicants' representative, Richard Gallagher, on 12/20/06 to clarify the language "a dispersing water of which is set within a pH range of 2 to 7". Reference to a dispersing water is not explicitly found previously in the claim and the Examiner was unclear that this term had antecedent basis. Mr. Gallagher indicated that basis for this term was implicitly found in this newly added limitation because both colloidal silica and silica sol are inherently present as aqueous dispersions.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

2. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Margaret G. Moore whose telephone number is 571-272-1090. The examiner can normally be reached on Monday to Wednesday and Friday, 10am to 4pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Randy Gulakowski can be reached on (571) 272-1302. The fax phone

Art Unit: 1712

number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571r272-1000.

Margaret∕/G. Moore Primary/Examiner Art Unit 1712

mgm 12/20/06